

Tabella I. Valori (Media \pm Deviazione Standard) delle transaminasi epatiche, della γ -GT e del rapporto ALT/AST

	Mansione Specifica	2003	2004	2005	2006	2007
ALT	Add. alla stampa	40.2 \pm 17.7	39.3 \pm 11	32.6 \pm 15	31.5 \pm 8.3	31.6 \pm 6
	Controllo	36.4 \pm 6.7	30.5 \pm 8.6	28.9 \pm 7.6	31 \pm 7.9	31.7 \pm 8.3
AST	Add. alla stampa	26.4 \pm 6.2	27 \pm 6.8	24.1 \pm 4.8	23.1 \pm 4.8	24.8 \pm 4.4
	Controllo	22.8 \pm 3.6	24.6 \pm 6.2	22.7 \pm 4.2	23.7 \pm 4.7	25.7 \pm 3.9
γ-GT	Add. alla stampa	29 \pm 10.6	30 \pm 11.4	25.8 \pm 9.5	26.4 \pm 9.4	27.2 \pm 9.9
	Controllo	26 \pm 10.8	24.5 \pm 3.2	23.5 \pm 5.4	25.1 \pm 8.5	27.3 \pm 17.1
ALT/AST	Add. alla stampa	1.52	1.45	1.35	1.36	1.27
	Controllo	1.59	1.23	1.27	1.3	1.23